

CONCERT HALL

TECHNICAL SPECIFICATION

ISSUE 1 10/10/16



STAFF

CHIEF TECHNICIAN (SOUND)

Dave Nott

Email: dave.nott@sll.co.uk

Tel: 01438 242612

Mob: 07766 445779

DEPUTY CHIEF TECHNICIAN (STAGE)

Anton Holmes

Email: anton.holmes@sll.co.uk

Tel: 01438 242612

SENIOR STAGE TECHNICIAN (LIGHTING)

Alastair Rivers

Email: al.rivers@sll.co.uk

Tel: 01438 242614

STAGE TECHNICIANS

Ashley Chappell

Email: stagetech@sll.co.uk

Tel: 01438 242614

Joe Leggett

Alexandra Farrow

In the first instance please direct all enquiries to backstage@sll.co.uk as this gets sent to the whole team.



STAGE

Sico Mobile Staging Units

Total Stage Depth:	20' 0" (6.09m)
Total Stage Width:	40' 0" (12.19m)
Total Stage Height:	4' 0" (1.2m)

DRAPES & MASKING

- 1 Pairs of Black Tabs (Rear Black Masking)
- 1 Pair of Black Side Masking (Masking of Wings)

Starcloth for Main Hall Walls*

*Additional Charge for this equipment

STAGE MANAGEMENT

Full headset (Four out stations) communication to operational areas.

Steel Deck Staging with 1, 2 and 3 foot legs.

(Large quantity may be charged for and need prior arrangement)

SCENERY

To conform to Theatre Licensing Regulations.

The Theatre's Duty Stage Manager may Fire Test any Scenery brought into the Theatre.

Please speak to any of the Theatres Technical Staff if you have any queries.

SPECIAL EFFECTS

Effects are considered to be any Pyrotechnics, smoke, haze, firearms, strobe lighting, bladed articles, special rigging etc.

The Venue Stage Manager will require you to complete necessary paperwork on your arrival, this will include, "Production Risk Assessments" (Unless you can provide your own) and the "Health and Safety & Evacuation Policy". You may also be asked for copies of any Industry Competency Certificates (IPAF, PASMA, etc), PAT Test Certificates, LOLER Certificates etc.

THE THEATRE NEEDS 28 DAYS WRITTEN NOTICE FOR PERMISSION TO USE ANY EFFECTS

AND WE RESERVE THE RIGHT TO REFUSE EFFECTS, RIGGING, USE OF ELECTRICAL EQUIPMENT AND ACCESS EQUIPMENT IF RISK ASSESSMENTS, METHOD STATEMENTS, SUPPORTING EVIDENCE OR CERTIFICATES ARE NOT PRODUCED OR IF SUFFICIENT NOTICE IS NOT GIVEN.

BACKSTAGE AND DRESSING ROOMS

One Large Dressing Room accommodating 12 People. (Can be sectioned if requested)

One Star Dressing Room with En-Suite Bathroom Facilities inc. Shower



LIGHTING EQUIPMENT

Avolites Titan Mobile control desk:

Storage to USB

Titan Software version 10.0

Avolites ART2000 T4 Dimmer Rack:

48 x 16A circuits.

CIRCUIT NO	LOAD	LOCATION
1 - 6	2.5kW	FOH Truss
7 - 12	5kW	FOH Truss
13 - 18	5kW	Back Truss
19 - 24	2.5kW	Back Truss
25 - 30	2.5kW	Back Truss
31 - 36	2.5kW	Back Truss
37 - 42	2.5kW	Spare
43 - 48	2.5kW	Spare
49 - 54	2.5kW	Spare
55 - 60	2.5kW	House Lights

DMX Outputs: 1x 5 Pin XLR, Situated: S/L On Avo Rack.

All trusses are supplied via socapex.

LIGHTING EQUIPMENT

48 Par 64 Cans 1000W Beam lights. 24 x FOH, 24 x On Stage

(We can provide all Lanterns in any combination of CP60,61,62 you require by prior arrangement)

2 Robert Juliat Ivanhoe 2500w HMI Followspots

Various Socapex cable, 15A Extension cables, Grelcos,

Full range of LEE Filters Colours 101 - 206 available.

Additional lighting equipment maybe hired by arrangement with the management

All Lanterns subject to availability.



SOUND EQUIPMENT

The Main Hall has no permanently installed Sound Equipment.

Sound Equipment suitable for your event may be hired by arrangement with the Theatre Technical Team, all costs will be passed onto yourselves.

MAINS POWER

Toured LX Supply.

Three Phase 250A Power-lock Connectors situated SL.

Three Phase 63A Situated SL
Fitted 2x 63A TPN Ceeforms.

Three Phase 63A Situated SL.
Fitted 3x 63A SPN Ceeforms.

Three Phase 32A Situated SL.
Fitted 3x 32A SPN Ceeforms.

Toured Sound Supply.

Single Phase 63A Situated SL.
Fitted 2x 63A SPN Ceeform.

Single Phase 32A Situated SL.
Fitted 2x 32A SPN Ceeform.

Single Phase 16A Situated SL.
Fitted 1x 16A SPN Ceeform.

Single Phase 13A Situated SL.
Fitted 12x 13A Outlets

Toured Sound Multicore. Multicore and Power Run 75M required.
Running SL.

